

A90 Pro

Android-Based, All-in-One Payment Device with Built-In Printer & Scanner





QR Code Payments



NFC Contactless



Magnetic Stripe



EMV Chip & PIN



Mobile Wallets







Smart, Secure, and Reliable POS Solution

The A90 Pro is a handheld Android POS terminal designed to empower businesses with a complete payment and transaction solution. Combining multi-payment acceptance, 58 mm thermal printer, HD touchscreen, and optional biometrics, it's the perfect fit for retail, restaurants, banking, and hospitality.







Key Features

Powerful Features That Drive Business



Multi-Payment Acceptance

EMV chip, magstripe, NFC contactless



QR Code & Barcode Scanning

1D/2D scanning with rear camera



Long Battery Life

5200 mAh rechargeable battery



5.5" HD Touchscreen

Smooth navigation & customer display



Integrated Printer

58mm high-speed thermal printer



Connectivity

4G LTE, Wi-Fi (2.4/5G optional), Bluetooth 4.2



Secure & Certified

PCI PTS 6.x, EMV, PayPass, RuPay, MIR



www.mupizo.com

Flexible Expansion

Docking stations available for charging, Ethernet & USB








Technical Specifications



OS

VanDroid (Android 10.0)



Processor

Quad-core Cortex-A53, 1.4GHz+Secure Processor



Card Slots

2 * SIM | 2 * PSAM | 1 * Micro SD | eSIM (Opt)



Memory

RAM: 1GB (Optional 2GB) FLASH: 8GB (Optional 16GB) Micro SD Card up to 128GB



Battery

3.6V/5200mAh



Speaker

Adjustable Volume



Indicator Lights

4 * Contactless Indicators
1 * Charging Indicator



Peripheral Ports

1 * Powered USB Type-C



Keys

1 * Power Key | 1 * Function Key 3 * Touch Keys (Optional)



GNSS

GPS/BeiDou GPS/GLONASS (Optional)



Power Supply


Input: 100-240V 50/60Hz

Output: 5V/2A



Communication

4G (Supports 3G&2G) | Bluetooth 4.2 Wi-Fi 2.4GHz (Optional 5GHz)



Dimensions

181×80×68mm



Accessory

Power Adapter | USB Cable



Display

5.5" IPS Display, 1280×720 Pixels



Card Readers

Magstripe Card Reader | Smart Card Reader | Contactless Card Reader



Certifications

PCI PTS 6.x, EMV L1&L2, EMV CL L1, MIR, NSICCS, ABECS, VCCS, ROHS, FCC, CE, SDPPI, BIS, WPC



www.mupizo.com

Environmental

Operating Temperature: -10°C ~ 50°C Storage Temperature: -20°C ~ 70°C

Relative Humidity: 5%~95%,







Get in Touch



+91 9512302941



sales@mupizo.com



www.mupizo.com